
Superior Special Area (SArea)

STATISTICAL PROFILE - 2012

For definitions and sources of data in these profiles, see: http://www.azdhs.gov/hsd/data/profiles/documents/datadocu.pdf

| DESCRIPTIO | N SArea Number | 71300 |
|------------|--------------------------------------|----------------------------------|
| OF AREA | Major Population Center | Superior |
| | County | PINAL |
| | Health Planning Region | 1 |
| | Primary Care Score | 20 |
| | Special Tax District? | No |
| | State House Legislative District | 08 |
| | In AzMUA? | Yes |
| | In Primary Care HPSA? | Geographic, (Superior/Kearny) |
| | In Federal MUA/P? | 58.80, MUA, (Superior) |
| | Next Nearest Provider | Superior |
| | 2nd Nearest Provider | Claypool |
| | Travel Time to Next Nearest Provider | Less than or equal to 20 minutes |
| | Travel Time to 2nd Nearest Provider | 21 to 30 minutes |
| | | |
| | | |



2012 Page 1 of 4

| | | | HEALTH PLANNING | |
|---------------------------------------|----------|-----------|--------------------|------------|
| DEMOGRAPHICS | Superior | COUNTY | REGION | ARIZONA |
| POPULATION | 2,880 | 389,192 | 4,327,523 | 6,498,569 |
| Population Density | 1,485.3 | 72.4 | 223.1 | 57.0 |
| Persons By Age | | | | |
| 0-14 | 566 | 88,564 | 956,204 | 1,382,367 |
| 15-19 | 181 | 23,448 | 308,653 | 469,409 |
| 20-44 | 692 | 133,000 | 1,502,047 | 2,158,711 |
| 45-64 | 877 | 90,293 | 1,024,466 | 1,593,531 |
| 65-84 | 513 | 50,033 | 471,209 | 789,821 |
| 85 + | 51 | 3,854 | 64,944 | 104,730 |
| Race/Ethnicity | | | | |
| White | 73.1% | 75.1% | 75.6% | 75.5% |
| American Indian | 2.0% | 5.7% | 2.6% | 4.7% |
| Black | 0.6% | 4.7% | 5.0% | 4.2% |
| Asian/Pacific Islander | 0.6% | 2.2% | 3.6% | 3.0% |
| Other | 23.7% | 12.3% | 13.2% | 12.6% |
| Hispanic | 68.0% | 28.4% | 29.2% | 29.6% |
| Gender | | | | |
| Females | 50.5% | 47.5% | 50.3% | 50.3% |
| Males | 49.5% | 52.5% | 49.7% | 49.7% |
| Single Parent Families | 32.7% | 23.9% | 27.3% | 27.3% |
| Female Headed Households | 8.8% | 6.6% | 5.9% | 6.2% |
| INCOME | | | | |
| Population below 100% FPL | 20.0% | 14.3% | 14.9% | 16.2% |
| Population below 200% FPL | 38.0% | 36.1% | 33.7% | 36.1% |
| Median Household Income | \$39,395 | \$46,339 | \$58,493 | \$48,589 |
| Children <12 in Poverty | 33.5% | 20.0% | 22.3% | 24.1% |
| EDUCATION | | | | |
| Less Than 9th Grade Education | 12.3% | 6.0% | 6.6% | 6.6% |
| 9th-12th Grade, No Diploma | 10.6% | 9.5% | 7.8% | 8.2% |
| High School Graduate | 31.7% | 29.6% | 24.1% | 24.7% |
| Some College | 29.1% | 27.5% | 25.4% | 26.0% |
| College or Professional Degree Holder | 16.1% | 27.4% | 36.1% | 34.5% |
| NON-RESIDENT | | | | |
| Migrant, Agricultural Workers | 34 | 4,529 | 18,153 | 67,704 |
| Tourists | 9,586 | 1,269,748 | 14,891,063 | 32,200,000 |
| Winter Residents | 37 | 4,850 | 46,910 | 75,670 |
| MISCELLANEOUS | | , | • | , |
| Unemployed | 18.0% | 8.8% | 7.2% | 8.2% |
| "Uninsured" Births | 1.8% | 3.6% | 3.1% | 3.8% |
| Medicare Beneficiaries | 11.3% | 11.3% | 12.8% | 14.4% |
| Transportation Score | 124 | 119 | 127 | 151 |
| | | | | |

2012 Page 2 of 4

| RESOURCE | Superior | COUNTY | HEALTH PLANNING REGION | ARIZONA |
|--|-------------------------|-------------------|------------------------------|-----------|
| FACILITIES | • | | | |
| General Hospitals | No | 4 | 37 | 67 |
| Hospital Beds/1000 Residents | 0.0 | 0.8 | 2.0 | 2.1 |
| Designated as Sole Community Provider | No | 4 | 11 | 35 |
| Specialty Beds | 0 | 0 | 2,528 | 2,972 |
| Skilled Nursing Facilities | 0 | 10 | 107 | 163 |
| Nursing Beds | 0 | 324 | 10,610 | 16,693 |
| SERVICES | | | | |
| Licensed Home Health Agencies | 0 | 5 | 126 | 197 |
| Ambulatory Care Sites Type | A, B, D | A, B, C, D, E | A, B, C, D, E | A,B,C,D,E |
| Licensed Pharmacies | 0 | 45 | 850 | 1,237 |
| Certified Ambulance Services | 1 | 6 | 28 | 92 |
| PERSONNEL | | | | |
| Primary Care Providers | 1.0 | 250 | 5,564 | 8,279 |
| Ratio-Population:Provider | 2,880:1 | 1,557:1 | 778:1 | 785:1 |
| Nurse Practitioners | 0 | 103 | 2,215 | 3,426 |
| Physician Assistants | 1 | 72 | 1,408 | 1,879 |
| Registered Nurses | 8 | 2,658 | 42,978 | 63,766 |
| Midwives | 0 | 3 | 120 | 237 |
| Dentists | 0 | 24 | 756 | 1,115 |
| Emergency Medical | 26 | 1,650 | 20,892 | 37,050 |
| UTILIZATION | | | | |
| AMBULATORY CARE SENSITIVE CONDITIONS | 3 | | | |
| ACSs/1000 Residents Age <65 | 51.6 | 42.9 | 45.1 | 45.7 |
| Points Above/Below (-) Statewide Average | 5.9 | -2.9 | -0.6 | *** |
| HOSPITALIZATION | | | | |
| Inpatient Days/1000 Residents | 807 | 554 | 564 | 563 |
| Inpatient Days/1000 by Age Group: | | | | |
| 0-14 yrs | 429 | 310 | 355 | 344 |
| 15-19 yrs | 167 | 291 | 270 | 255 |
| 20-44 yrs | 530 | 388 | 398 | 395 |
| 45-64 yrs | 617 | 641 | 613 | 592 |
| 65-84 yrs | 2,081 | 1,241 | 1,347 | 1,286 |
| 85+ yrs | 1,524 | 2,566 | 2,428 | 2,385 |
| Leading Diagnosis | OTH URINARY TRACT DISOR | | | |
| Leading Procedure 1 INT MAM-COR ART BYPASS | | | | |
| (Non-maternity related) | | | | |
| | | ta. ## Not Availa | | |

^{***} Not Applicable, ++ Insufficient Data, ## Not Available

2012 Page 3 of 4

| LICAL TH CTATHO | Companion. | OOL INITY | HEALTH PLANNING | A DIZONA |
|---|--|-----------|--------------------|----------|
| HEALTH STATUS | Superior | COUNTY | REGION | ARIZONA |
| INFANT MORTALITY RATE | ++ | 6.6 | 6.2 | 6.5 |
| MORTALITY, LEADING CAUSE OF DEATH | | | | |
| Infant | ++ | | | |
| Child (1-14) | ++ | | | |
| Adolescent (15-19) | ++ | | | |
| Young Adult (20-44) | Accidental poisoning by and exposure to antiepilep | | | |
| Mid Age (45-64) | Chronic ischaemic heart disease | | | |
| Elderly (65-84) Chronic ischaemic heart disease | | | | |
| Aged (85+) | Chronic ischaemic heart disease | | | |
| PERCENT PREMATURE MORTALITY | 54.3% | 61.1% | 51.1% | 51.8% |
| NATALITY | | | | |
| Fertility Rate/1000 Females 15-44 yrs | 88.2 | 106.8 | 88.6 | 86.1 |
| Birth Rate/1000 Residents | 11.8 | 15.4 | 15.9 | 15.1 |
| 0-4 Prenatal Care Visits/1000 Births | 105.5 | 63.4 | 51.4 | 60.9 |
| Prenatal Care Began: | | | | |
| None | 2.9% | 2.4% | 2.0% | 2.3% |
| Trimester One | 65.7% | 81.8% | 81.7% | 78.6% |
| Trimester Two | 26.1% | 13.6% | 13.5% | 15.4% |
| Trimester Three | 5.0% | 3.1% | 2.9% | 3.8% |
| Unknown | 0.3% | -0.9% | -0.1% | -0.1% |
| Low-weight Births/1000 Live Births | ++ | 67.1 | 70.9 | 71.0 |
| Teen Births/1000 Females 14-19 yrs | 55.1 | 55.6 | 50.8 | 50.1 |
| Block groups (2010) in area: | | | | |

210004.001, 210004.002, 210004.003, 210004.004

Other Places in area:

Superior

*** Not Applicable, ++ Insufficient Data, ## Not Available

2012 Page 4 of 4